

National Hydrography Dataset Plus - NHDPlus

Metadata also available as

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

U.S. Environmental Protection Agency (USEPA) and the U.S. Geological Survey (USGS).

Publication_Date: 2005

Title: National Hydrography Dataset Plus - NHDPlus

Edition: 1.0

Geospatial_Data_Presentation_Form: vector digital data, raster digital data, tabular digital data

Online_Linkage: To be provided at later date

Description:

Abstract:

The NHDPlus Version 1.0 is an integrated suite of application-ready geospatial data sets that incorporate many of the best features of the National Hydrography Dataset (NHD) and the National Elevation Dataset (NED). The NHDPlus includes a stream network (based on the 1:100,000-scale NHD), improved networking, naming, and "value-added attributes" (VAA's). NHDPlus also includes elevation-derived catchments (drainage areas) produced using a drainage enforcement technique first broadly applied in New England, and thus dubbed "The New-England Method". This technique involves "burning-in" the 1:100,000-scale NHD and when available building "walls" using the national Watershed Boundary Dataset (WBD). The resulting modified digital elevation model (HydroDEM) is used to produce hydrologic derivatives that agree with the NHD and WBD. An interdisciplinary team from the U. S. Geological Survey (USGS), U.S. Environmental Protection Agency (USEPA), and contractors, over the last two years has found this method to produce the best quality NHD catchments using an automated process.

The VAAs include greatly enhanced capabilities for upstream and downstream navigation, analysis and modeling. Examples include: retrieve all flowlines (predominantly confluence-to-confluence stream segments) and catchments upstream of a given flowline using queries rather than by slower flowline-by-flowline navigation; retrieve flowlines by stream order; subset a stream level path sorted in hydrologic order for stream profile mapping, analysis and plotting; and, calculate cumulative catchment attributes using streamlined VAA hydrologic sequencing routing attributes.

The VAAs include results from the use of these cumulative routing techniques, including cumulative drainage areas, precipitation, temperature, and land cover distributions. Several of these cumulative attributes are used to estimate mean annual flow and velocity as part of the VAAs.

NHDPlus contains a snapshot (2005) of the 1:100,000-scale NHD that has been extensively improved. While these updates will eventually make their way back to the central NHD repository at USGS, this will not have happened prior to distribution of NHDPlus because the update process for the central NHD repository is still in development. Consequently, the NHDPlus will contain some temporary database keys and, as a result, NHDPlus users may not make updates to the NHD portions of NHDPlus with the intent of sending these updates back to the USGS. Once the NHDPlus updates have been posted to the central NHD repository, a fresh copy of the improved data can be downloaded from the central NHD repository and that copy will be usable for data maintenance. Note that the NHDPlus products are tightly integrated and user modifications to the underlying NHD can compromise this synchronization.

Purpose:

The geospatial data sets included in NHDPlus are intended to support a variety of water-related applications. They already have been used in an application to develop estimates of mean annual streamflow and velocity for each NHD flowline in the conterminous United States. The results of these analyses are included with the NHDPlus data.

A water-quality model developed by the U.S. Geological Survey (USGS) called SPARROW (Spatially Referenced Regressions on Watershed Attributes), can utilize the NHDPlus network functionality to track the downstream transport of nutrients, sediments, or other substances. NHDPlus water bodies and estimates of streamflow and velocity are used in SPARROW to identify reservoir retention and in-stream loss factors. NHDPlus climatic and land surface attributes can be used in SPARROW to identify potential factors in the delivery of nutrients from the land surface to streams. NHDPlus land cover information is useful for SPARROW in determining potential sources of nutrients.

NHDPlus data is also being used in select areas for a USGS Web-based application, called StreamStats. StreamStats provides tools to interactively select

any point on the NHDPlus to obtain streamflow and watershed characteristics for the selected point.

NHDPlus has been designed to accommodate many users needs for future applications. NHDPlus provides the framework and tools necessary to customize the behavior of the network relationships as well as building upon the attribute database, for which the user can assign its own data to the network.

Supplemental_Information: For more information, refer to the NHDPlus Users Guide.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Currentness_Reference: publication date

Status:

Progress: Complete

Maintenance_and_Update_Frequency: Irregular

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -160.5

East_Bounding_Coordinate: -66.5

North_Bounding_Coordinate: 49.5

South_Bounding_Coordinate: 18.5

Keywords:

Theme:

Theme_Keyword_Thesaurus: none

Theme_Keyword: Stream / River

Theme_Keyword: Lake / Pond

Theme_Keyword: Canal / Ditch

Theme_Keyword: Reservoir

Theme_Keyword: Spring / Seep

Theme_Keyword: Swamp / Marsh

Theme_Keyword: Artificial Path

Theme_Keyword: Reach

Theme_Keyword: Watershed

Theme_Keyword: Catchment

Theme_Keyword: EARTH SCIENCE

Theme_Keyword: Land Surface

Theme_Keyword: Topography

Theme_Keyword: Cartography

Theme_Keyword: GEODATA

Theme_Keyword: GIS

Theme_Keyword: USGS

Theme_Keyword: EPA

Theme_Keyword: Elevation

Theme_Keyword: Land Cover
Theme_Keyword: National Land Cover Dataset
Theme_Keyword: NLCD
Theme_Keyword: National Elevation Dataset
Theme_Keyword: NED
Theme_Keyword: National Hydrography Dataset
Theme_Keyword: NHD
Theme_Keyword: NHDPlus
Theme_Keyword: Stream flow
Theme_Keyword: Stream velocity
Theme_Keyword: Spatially Referenced Regressions on Watershed Attributes
Theme_Keyword: SPARROW
Theme_Keyword: StreamStats
Theme_Keyword: Water-quality
Theme_Keyword: Hydrologic modeling
Theme_Keyword: River Coding Systems
Theme_Keyword: Hydrography
Theme:
Theme_Keyword_Thesaurus: ISO 19115 Topic Category
Theme_Keyword: inlandWaters
Place:
Place_Keyword: United States of America
Place_Keyword: United States
Place_Keyword: USA
Place_Keyword: Alabama
Place_Keyword: Arizona
Place_Keyword: Arkansas
Place_Keyword: California
Place_Keyword: Colorado
Place_Keyword: Connecticut
Place_Keyword: Delaware
Place_Keyword: District of Columbia
Place_Keyword: Florida
Place_Keyword: Georgia
Place_Keyword: Hawaii
Place_Keyword: Idaho
Place_Keyword: Illinois
Place_Keyword: Indiana
Place_Keyword: Iowa
Place_Keyword: Kansas
Place_Keyword: Kentucky
Place_Keyword: Louisiana
Place_Keyword: Maine
Place_Keyword: Maryland
Place_Keyword: Massachusetts
Place_Keyword: Michigan

Place_Keyword: Minnesota
Place_Keyword: Mississippi
Place_Keyword: Missouri
Place_Keyword: Montana
Place_Keyword: Nebraska
Place_Keyword: Nevada
Place_Keyword: New Hampshire
Place_Keyword: New Jersey
Place_Keyword: New Mexico
Place_Keyword: New York
Place_Keyword: North Carolina
Place_Keyword: North Dakota
Place_Keyword: Ohio
Place_Keyword: Oklahoma
Place_Keyword: Oregon
Place_Keyword: Pennsylvania
Place_Keyword: Rhode Island
Place_Keyword: South Carolina
Place_Keyword: South Dakota
Place_Keyword: Tennessee
Place_Keyword: Texas
Place_Keyword: Utah
Place_Keyword: Vermont
Place_Keyword: Virginia
Place_Keyword: Washington
Place_Keyword: West Virginia
Place_Keyword: Wisconsin
Place_Keyword: Wyoming
Access_Constraints: None.
Use_Constraints:
None.

Acknowledgement of the originating agencies (USEPA and USGS) would be appreciated in products derived from these data.

Point_of_Contact:
Contact_Information:
Contact_Organization_Primary:
Contact_Organization: U.S. Environmental Protection Agency
Contact_Electronic_Mail_Address: waters_support@epa.gov
Native_Data_Set_Environment:
Microsoft Windows 2000 Version 5.0 (Build 2195) Service Pack 4; ESRI
ArcCatalog 9.0.00

Data_Quality_Information:
Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

U.S. Geological Survey (USGS) and the U.S. Environmental Protection Agency (USEPA)

Publication_Date: none

Title: National Hydrography Dataset (NHD) Medium Resolution

Edition: none

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: <<http://nhd.usgs.gov>>

Source_Scale_Denominator: 1:100,000

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference:

The source NHD is a snapshot of the dataset accessed on 1/31/2004 and updated throughout 2004 and 2005.

Source_Citation_Abbreviation: NHD

Source_Contribution:

A snapshot of the NHD was used as the baseline framework from which enhancements to the network were built upon. Enhancements include feature names, network connectivity and network flow relationships. This enhanced NHD version was then used in conjunction with the NED, and WBD (where applicable) to create a HydroDEM, for generation of the catchment Grid/shapefile, and flow direction/accumulation Grids. The enhanced NHD was used to compute and assign flowline Value Added Attributes (VAAs) to this network.

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Geological Survey (USGS), EROS Data Center

Publication_Date: 1999

Title: National Elevation Dataset (NED)

Geospatial_Data_Presentation_Form: raster digital data

Publication_Information:

Publication_Place: Sioux Falls, SD

Publisher: U.S. Geological Survey

Online_Linkage: <<http://ned.usgs.gov/>>

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: June 10, 2004

Source_Currentness_Reference: Date data was accessed

Source_Citation_Abbreviation: NED

Source_Contribution:

NED data used in combination with NHD, WBD (where applicable) to create a HydroDEM, to generate NHDPlus Catchments, surface flow direction and accumulation Grids. Stream elevations from NED which were used to help derive stream slope and stream velocity.

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Geological Survey (USGS)

Publication_Date: 19990525

Title: National Land Cover Dataset 1992 (NLCD 1992)

Edition: 1

Geospatial_Data_Presentation_Form: raster digital data

Publication_Information:

Publication_Place: Sioux Falls, SD

Publisher: U.S. Geological Survey

Online_Linkage: <<http://landcover.usgs.gov/natl/landcover.php>>

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: early 1990's

Ending_Date: mid 1990's

Source_Currentness_Reference: ground condition

Source_Citation_Abbreviation: NLCD 1992

Source_Contribution:

Source dataset used to assign catchment and flowline land cover attributes.

Source_Information:

Source_Citation:

Citation_Information:

Originator:

Chris Daly and George Taylor of the Spatial Climate Analysis Service at Oregon State University.

Publication_Date: 200008

Title: United States Average Annual Precipitation, 1961-90

Geospatial_Data_Presentation_Form: raster digital data

Publication_Information:

Publication_Place: Corvallis, Oregon, USA

Publisher:

Spatial Climate Analysis Service at Oregon State University (SCAS/OSU)

Other_Citation_Details:

This dataset from the PRISM model, developed by Chris Daly of SCAS/OSU.

Online_Linkage: <<http://www.ocs.orst.edu/prism/>>

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 19610101

Ending_Date: 19901231

Source_Currentness_Reference:

Climatological period from which the point observations were taken.

Source_Contribution:

Source dataset used to compute mean annual precipitation for each catchment and area weighted precipitation for each flowline. Weighted precipitation values for each flowline was used as a variable in a Vogel equation for estimating mean annual streamflow. The Vogel estimates of mean annual flow were used as a source variable in a Jobson equation to compute mean annual stream velocity estimates.

Source_Information:

Source_Citation:

Citation_Information:

Originator:

Chris Daly and George Taylor of the Spatial Climate Analysis Service at Oregon State University.

Publication_Date: 200008

Title: United States Annual Mean Temperature, 1961-90

Edition: 1

Geospatial_Data_Presentation_Form: raster digital data

Publication_Information:

Publication_Place: Corvallis, Oregon, USA

Publisher:

Spatial Climate Analysis Service at Oregon State University (SCAS/OSU)

Other_Citation_Details:

This dataset from the PRISM model, developed by Chris Daly of SCAS/OSU.

Online_Linkage: <http://www.ocs.orst.edu/prism/>

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 19610101

Ending_Date: 19901231

Source_Currentness_Reference:

Climatological period from which the point observations were taken.

Source_Contribution:

Source dataset used to compute mean annual temperature for each catchment and area weighted mean annual temperature for each flowline. Weighted mean annual temperature values for each flowline was used as a variable in a Vogel equation for estimating mean annual streamflow. The Vogel estimates of mean annual flow were used as a source variable in a Jobson equation to compute mean annual stream velocity estimates.

Source_Information:

Source_Citation:

Citation_Information:

Originator:

U.S. Department of Agriculture, Natural Resources Conservation Service (NRCS) and the U.S. Geological Survey (USGS)

Publication_Date: multiple dates

Title: Watershed Boundary Dataset (WBD)

Geospatial_Data_Presentation_Form: vector digital data

Other_Citation_Details:

Only certified WBD was included for use in HydroDEM production. These data are tiled by U.S. State, therefore only selected states with full certification were used. The publication date for each state's WBD varies. (See Source Time Period of Content)

Online_Linkage: <<http://www.ncgc.nrcs.usda.gov/products/datasets/watershed/>>

Source_Scale_Denominator: 1:24,000

Source_Time_Period_of_Content:

Time_Period_Information:

Multiple_Dates/Times:

Single_Date/Time:

Calendar_Date: Alabama, 2004

Single_Date/Time:

Calendar_Date: Connecticut, 2001

Single_Date/Time:

Calendar_Date: Georgia, 2003

Single_Date/Time:

Calendar_Date: Illinois, 2002

Single_Date/Time:

Calendar_Date: Massachusetts, 2001

Single_Date/Time:

Calendar_Date: Maryland, 2003

Single_Date/Time:

Calendar_Date: New Hampshire, 2001

Single_Date/Time:

Calendar_Date: Utah, 2003

Single_Date/Time:

Calendar_Date: Vermont, 2003

Single_Date/Time:

Calendar_Date: Wyoming, 2002

Source_Currentness_Reference: publication dates

Source_Citation_Abbreviation: WBD

Source_Contribution:

12-digit subwatershed divides from the Watershed Boundary Dataset (WBD) were used (for states where certified WBD was available) as a ridgeline enforcement factor in a process called "walling" in the production of HydroDEMs. The HydroDEMs are the source data from which NHD Catchments are delineated from. Catchments with coincident boundaries with the WBD are in conformance with the WBD. NHDPlus Flow Direction and Accumulation Grids are hydrologic derivative products of the HydroDEMs.

Source_Information:

Source_Citation:

Citation_Information:

Originator: David W. Stewart, Alan Rea and David M. Wolock
Publication_Date: April 2006
Title: USGS Streamgages Linked to the Medium Resolution NHD
Geospatial_Data_Presentation_Form: vector digital data
Series_Information:
Series_Name: Data Series
Issue_Identification: DS-195
Publication_Information:
Publication_Place: Reston, Va
Publisher: U.S. Geological Survey
Online_Linkage:
<http://water.usgs.gov/GIS/metadata/usgswrd/XML/streamgages.xml>
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: April 20, 2004
Source_Currentness_Reference: Date of data extract from NWIS
Source_Contribution:
Location of gages were spatially referenced to the NHDPlus flowlines to create a gaging station point event table, where for each gage in the database, the corresponding NHD Reachcode and measure are recorded. An early version of the dataset was also used for the QA/QC of NHDPlus cumulative drainage areas and estimates of mean annual stream flow.

Distribution_Information:

Distributor:
Contact_Information:
Contact_Organization_Primary:
Contact_Organization: U.S. Environmental Protection Agency
Contact_Electronic_Mail_Address: waters_support@epa.gov
Distribution_Liability:

Although this data set has been used by the U.S. Government, no warranty expressed or implied is made by the U.S. Government as to the accuracy of the data and related materials. The act of distribution shall not constitute any such warranty, and no responsibility is assumed by the U.S. Government in the use of this data, software, or related materials. Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Standard_Order_Process:
Digital_Form:
Digital_Transfer_Information:
File-Decompression_Technique: .zip
Digital_Transfer_Option:
Online_Option:
Access_Instructions: Provide website/ftp address to download data here

Metadata_Reference_Information:
Metadata_Date: 20060829

Generated by [mp](#) version 2.7.33 on Tue Aug 29 09:13:55 2006